Author Index to Volume 16

Abuin, E. B.
—; Encinas, M. V.; Diaz, S.; Lissi, E. A.: Cage Reactions in the Photolysis of 2,2,4,4-Tetramethyl-3-pentanone, 503
Acs, G. See Peter, A., 753, 767, 781
Adeyemo, A. O.
—; Krishnamurthy, M.: Kinetic Studies of a Catalyzed Metalloporphyrin Formation, 1075
Ahonkhai, S. I.
—; Whittle, E.: Kinetics of the Competitive Chlorinations of Some Perfluoroalkyl Iodides Determination of the Bond Dissociation Energies $D(CF_3\text{-}I)$, $D(C_2F_5\text{-}I)$, and $D(i\text{-}C_3F_7\text{-}I)$, 543
Akimoto, H. See Hashimoto, S., 1385
Aleksandrov, E. N.
—; Arutyunov, V. S.; Dubrovina, I. V.; Kozlov, S. N.: Kinetics of Hydrogen Oxidation Near the Lower Explosion Limit, 817
Andre, J. C. See Guillard, R., 407
Arcila, C.
—; Pino, M.; Lubinkowski, J.; Hernandez, J. A.; Chuchani, G.: Steric Influence in the Direction of Elimination of Gas-Phase Pyrolyses of Several Highly Branched Secondary Acetates, 57
Arican, H.
—; Arthur, N. L.: Reaction of CF_3 Radicals with H_2S, 335
Arora, P. K. See Raja, N., 205
Arthur, N. L. See Arican, H., 335
Arutyunov, V. S. See Aleksandrov, E. N., 817
Aschmann, S. M. See Atkinson, R., 259, 469, 697, 967, 1085, 1175
Atkinson, R. See Pitts, J. N., Jr., 919
—; Aschmann, S. M.: Rate Constants for the Reaction of OH Radicals with a Series of Alkenes and Dialkenes at 295 ± 1 K, 1175
—; Aschmann, S. M.: Rate Constants for the Reactions of O_3 and OH Radicals with a Series of Alkynes, 259
—; Aschmann, S. M.; Carter, W. P. L.: Kinetics of the Reactions of O_3 and OH Radicals with a Series of Dialkenes and Trialkenes at 294 ± 2 K, 967
—; Aschmann, S. M.; Carter, W. P. L.; Winer, A. M.; Pitts, J. N., Jr.: Formation of Alkyl Nitrates from the Reaction of Branched and Cyclic Alkyl Peroxy Radicals with NO, 1085
—; Aschmann, S. M.; Winer, A. M.; Pitts, J. N., Jr.: Gas Phase Reaction of NO_2 With Alkenes and Dialkenes, 697
—; Carter, W. P. L.; Aschmann, S. M.; Winer, A. M.; Pitts, J. N., Jr.: Kinetics of the Reaction of OH Radicals with a Series of Branched Alkanes at 297 ± 2 K, 469
—; Carter, W. P. L.; Plum, C. N.; Winer, A. M.; Pitts, J. N., Jr.: Kinetics of the Gas-Phase Reactions of NO_3 Radicals with a Series of Aromatics at 296 ± 2 K, 887

Back, M. H. See Cao, J-R., 961
Backhouse, C. J. See McKinnon, G. H., 1427
Bahta, A.
—; Simonaitis, R.; Heicklen, J.: Reactions of Ozone with Olefins: Ethylene, Allene, 1,3-Butadiene, and *trans*-1,3-Pentadiene, 1227
Bandow, H. See Hashimoto, S., 1385
Batt, L.
—; Mowat, S. I.: The Addition of Methyl Radicals to Hexafluoroacetone, 615
Becerra, R.
—; Figuera, J. M.; Martin, M.; Rodriguez, J. C.: Experimental Determination of the Energy Distribution of Activated Molecules. Extensive Test of Hard-Collision Approximations, 483
—; Frey, H. M.: The Photolysis of 3,4-Dimethylcyclopentanone, 1337
Beebe, M. D. See Hsu, D. S. Y., 1139
Behari, K.
—; Narayan, H.; Shukla, R. S.; Gupta, K. C.: Kinetic Study of Ru(VI)-Catalyzed Oxidation of Cyclic Alcohols by Hexacyanoferrate(III) in Aqueous Alkaline Medium, 195
Benson, S. W. See Islam, T. S. A., 995, 1161; Kondo, O., 949; Weissman, M., 941
Bott, J. F.
—; Cohen, N.: A Shock Tube Study of the Reaction of the Hydroxyl Radical with Propane, 1553
Bouchy, M. See Guillard, R., 407
Bowers, M. T. See Kemper, P. R., 707
Bowman, C. T. See Szekely, A., 1605
Braun, R. See Martin, H. D., 117
Brezinsky, K.
—; Litzinger, T. A.; Glassman, I.: The High Temperature Oxidation of the Methyl Side Chain of Toluene, 1053
Brown, T. C.
—; King, K. D.; Gilbert, R. G.: High Temperature Collisional Energy Transfer in Highly Vibrationally Excited Molecules: Isotope Effects in *tert*-Butyl Chloride Systems, 1455
Budach, K. A. See Kiefer, J. H., 679
Burks, G. L. See Hsu, D. S. Y., 1139
Burrows, J. P. See Cox, R. A., 445

Calo, J. M. See Kramer, M. A., 559
Calvaruso, G.
—; Cavasino, F. P.; Sbriziolo, C.: Kinetics of the Redox Reactions between Ceric Sulfate and Lactic and Atrolactic Acids in the Medium $HClO_4$–Na_2SO_2–$NaClO_4$, 1201

Campisi, J. See Capellos, C., 1009, 1027
Canosa-Mas, C. E.
—; Ellis, M.; Frey, H. M.; Walsh, R.: The Formation of C_3H_3 (Propynyl) Radicals in the Reaction of $CH_2(^1A_1)$ with Acetylene, 1103
Cao, J-R.
—; Back, M. H.: The Heat of Formation of the Ethyl Radical, 961
Capellos, C.
—; Fisco, W. J.; Ribaudo, C.; Hogan, V. D.; Campisi, J.; Murphy, F. X.; Castorina, T. C.; Rosenblatt, D. H.: Basic Hydrolysis of Glyceryl Nitrate Esters. II. 1,2-Glyceryl and 1,3-Glyceryl Dinitrate Esters, 1027
—; Fisco, W. J.; Ribaudo, C.; Hogan, V. D.; Campisi, J.; Murphy, F. X.; Castorina, T. C.; Rosenblatt, D. H.: Basic Hydrolysis of Glyceryl Nitrate Esters. III. Trinitroglycerin, 1009
Caralp, F. See Lesclaux, R., 1117
Carmely, Y.
—; Horowitz, A.: The Effect of Temperature on Formaldehyde Photooxidation in Oxygen-Lean Atmospheres, 1581
Carter, W. P. L. See Atkinson, R., 469, 887, 967, 1085; Pitts, J. N., Jr., 919
Case, L. C. See Pritchard, G. O., 69
Castorina, T. C. See Capellos, C., 1009, 1027
Cavasino, F. P. See Calvaruso, G., 1201
—; Dio, E. D.; Sbriziolo, C.: Further Relaxation Kinetic Investigations of Iron(III) Chelation. Data for Diglycolic, Tartaric, and Citric Acids, 221
Chatha, J. P. S. See Raja, N., 205
Chou, M.-S. See Dean, A. M., 633
Chuzhani, G. See Arcila, C., 57; Rotinov, A., 1267
Coffey, D., Jr. See Rickborn, S. F., 289; Sawrey, B. A., 7, 31
Cohen, N. See Bott, J. F., 1553
Coker, G. B. See Cox, R. A., 445
Colket, M. B., III
Cyanogen Pyrolysis and the CN + NO Reaction behind Incident Shock Waves, 353
Colussi, A. J. See Ghibaudi, E., 1571
Coombe, R. D. See Pritt, A. T., Jr., 977
Cox, R. A.
—; Burrows, J. P.; Coker, G. B.: Product Formation in the Association Reaction of ClO with NO_2 Investigated by Diode Laser Kinetic Spectroscopy, 445
Croce de Cobos, A. E.
—; Troe, J.: High-Pressure Range of the Recombination $O + O_2 \rightarrow O_3$, 1517

Dean, A. M.
—; Chou, M.-S.; Stern, D.: Kinetics of Rich Ammonia Flames, 633
De Azevedo, F. G.
—; De Oliveira, W. A.: Ebulliometric Study of the Decomposition of Urea in Aqueous Media, 793
De Jonge, C. R. H. I. See Khudyakov, I. V., 1481
DeMore, W. B.
Rate Constant for the OH + CO Reaction: Pressure Dependence and the Effect of Oxygen, 1187
De Oliveira, W. A. See De Azevedo, F. G., 793
de Vohringer, C. M.
—; Staricco, E. H.: Gas Phase Reactions of CF_3, C_2F_5, and n-C_3F_7 with Carbon Tetrachloride, 1351
Diaz, S. See Abuin, E. B., 503
Dick, P. G.
—; Gilbert, R. G.; King, K. D.: Gas/Wall Collision Efficiencies in Very Low-Pressure Pyrolysis Experiments, 1129
Dio, E. D. See Cavasino, F. P., 221
Doolan, K. R. See Mackie, J. C., 525
Dos Santos Afonso, M.
—; Schumacher, H. J.: Kinetics and the Mechanism of the Thermal Reaction between Trifluoromethylhypofluorite and Hexafluoropropene, 103
Dubrovina, I. V. See Aleksandrov, E. N., 817

Eichler, K.
—; Heydtmann, H.: Kinetic Study of Chemically Activated Chlorocyclopropane, 835
Ekwenchi, M. M.
—; Safarik, I.; Strausz, O. P.: The Reactions of Hydrogen Atoms with Bis(trifluoromethyl)-disulfide, 741
Elliot, A. J.
—; Sopchyshyn, F. C.: A Pulse Radiolysis Study of I_2 and $(SCN)_2^-$ in Aqueous Solutions over the Temperature Range 15–90°C, 1247
Ellis, M. See Canosa-Mas, C. E., 1103
Encinas, M. V. See Abuin, E. B., 503

Fanchiang, Y.-T.
Kinetic Characteristics of Chloride-Assisted Oxidative Dealkylation of Alkylcobalamins, 277
Figuera, J. M. See Becerra, R., 483
Finkelshtein, E. I.
—; Rubchinskaya, Yu. M.; Kozlov, E. I.: Liquid-Phase Autooxidation of Retinyl Polyenes, 513
Fischer, H. See Munger, K., 1213; Wu, L.-M., 1111
Fisco, W. J. See Capellos, C., 1009, 1027
Frey, H. M. See Becerra, R., 1337; Canosa-Mas, C. E., 1103

Gadalla, A. M.
Kinetics of Nonisothermal Calcination of $ZnCO_3$ in Air, 1471
Kinetics of Thermal Decomposition of $CuSO_4 \cdot 5H_2O$ to CuO, 655
Garcia-Mateos, I. See Velazquez, M. M., 269
Ghibaudi, E.
—; Colussi, A. J.: Very Low Pressure Pyrolysis of Phenyl Acetate, 1571
Gilbert, R. G. See Brown, T. C., 1455; Dick, P. G., 1129
Glassman, I. See Brezinsky, K., 1053
Golden, D. M. See Patrick, R., 1563
Gomes, M.
—; Razumovskii, S. D.; Zaikov, G. E.: Effect of Solvent Polarity on the Rate of Ozone Reaction with Unsaturated Compounds, 1
Gu, Z-N.
—; Young, A. T.; Houston, P. L.: Deactivation of $I(5^2P_{1/2})$ by CF_3I, CH_3I, C_2H_5I, and CH_4, 669
Guillard, R.
—; Andre, J. C.; Bouchy, M.: Kinetics of Partly Diffusion-Controlled Reactions: XIV. Effects of Reversible Energy Transfer, 407
Gupta, K. C. See Behari, K., 195

Hahn, J. H. See Jung, K.-H., 397
Hanson, R. K. See Louge, M. Y., 231; Salimian, S., 725; Szekely, A., 1605
Harris, G. W. See Pitts, J. N., Jr., 919
Hashimoto, S.
—; Bandow, H.; Akimoto, H.; Weng, J.-H.; Tang, X.-Y.: Products and Mechanism for the OH Radical Initiated Oxidation of Acrylonitrile, Methacrylonitrile, and Allylcyanide in the Presence of NO, 1385
Heicklen, J. See Bahta, A., 1227; Lundgard, R., 125
Hernandez, J. A. See Arcila, C., 57
Herraez, M. A. See Velazquez, M. M., 269
Heydtmann, H. See Eichler, K., 835
Hogan, V. D. See Capellos, C., 1009, 1027
Horowitz, A. See Carmely, Y., 1581
Houston, P. L. See Gu, Z-N., 669
Hsu, D. S. Y.
—; Burks, G. L.; Beebe, M. D.; Lin, M. C.: Thermal Decomposition of Methyl Nitrite in Shock Waves Studied by Laser Probing, 1139
Huhn, P. See Peter, A., 753, 767, 781
Huybrechts, G.
—; Poppelsdorf, H.; Maesschalck, L.; Van Mele, B.: Kinetics, Mechanism, and Endo Selectivity of Diels–Alder Reactions of Alkylmonosubstituted Ethenes with Cyclohexa-1,3-diene in the Gas Phase, 93

Islam, T. S. A.
—; Benson, S. W.: Rates and Equilibria in the Reaction System Br + i-C_4H_{10} ⇌ HBr + t-C_4H_9. The Heat of Formation of the t-Butyl Radical, 995
—; Marshall, R. M.; Benson, S. W.: VLPR Study of the Reaction Br + CH_3CHO, 1161
Ito, O.
—; Matsuda, M.: Kinetic Study for Addition of the Phenylthio Radicals to Vinylpyridines, 909

Jonnalagadda, S. B.
Kinetic Study of Hydroxylamine-Bromate Ion Reaction in Acid Sulfate Solution—A Competitive Consecutive Reaction, 1287
Jung, K.-H.
—; Yoo, H. S.; Hahn, J. H.: Photodecomposition Reaction of Ethyl Bromide at 147 nm, 397

Kalantar, A. H. See McKinnon, G. H., 1427
Kee, R. J. See Kramer, M. A., 559
Kemper, P. R.
—; Bowers, M. T.: The Reactions of Isotopically Labeled $N^{15}NO^+$ with CO, NO, O_2, N_2, NO_2, and N_2O, 707
Kerr, J. A.
—; Wright, J. P.: The Kinetics of the Addition of Alkyl Radicals to Carbonyl Groups. I. The Kinetics of the Gas Phase Decomposition Reactions of the Trifluoro-t-Butoxy Radical, 1321
—; Wright, J. P.: The Kinetics of the Addition of Alkyl Radicals to Carbonyl Groups. II. The Addition of Methyl Radicals to Trifluoroacetone in the Gas Phase. The Formation Reaction of the Trifluoro-t-Butoxy Radical, 1327
Khan, A. A. See Khan, M. N., 1301
Khan, M. N.
—; Khan, A. A.: The Kinetics and Mechanism of Aqueous Cleavage of Imide Bond in 5,5-Diethyl Barbituric Acid (5,5-Diethyl-2,4,6-(1H,3H) pyrimidinetrione) in a Highly Alkaline Medium, 1301
Khudyakov, I. V. See Koroli, L. L., 379
—; Kuzmin, V. A.; Yasmenko, A. I.; Smit, W.; Salve, J.; De Jonge, C. R. H. I.: Solvent Effect on Reversible Self-Termination Reactions of Aromatic Free Radicals, 1481
Kiefer, J. H.
—; Budach, K. A.: The Very-High-Temperature Pyrolysis of Ethane: Evidence Against High Rates for Dissociative Recombination Reactions of Methyl Radicals, 679
Kim, C. J.
—; Sartori, G.: Kinetics and Mechanism of Diethanolamine Degradation in Aqueous Solutions Containing Carbon Dioxide, 1257
Kim-Thuan, N.
—; Scaiano, J. C.: Electron Transfer from α-Aminoalkyl Radicals to Methyl Viologen, 371
King, K. D. See Brown, T. C., 1455; Dick, P. G., 1129
Kirtman, B. See Pritchard, G. O., 1633
Kondo, O.
—; Benson, S. W.: Kinetics and Equilibria of the Reaction between Bromine and Ethyl Ether. The C—H Bond Dissociation Energy in Ethyl Ether, 949
Koroli, L. L.
—; Kuzmin, V. A.; Khudyakov, I. V.: Kinetics of Recombination, Dismutation, and Disproportionation Reactions Involving Neutral Ketyl Radicals and Radical Anions, 379
Kozlov, E. I. See Finkelshtein, E. I., 513
Kozlov, S. N. See Aleksandrov, E. N., 817
Kramer, M. A.
—; Rabitz, H.; Calo, J. M.; Kee, R. J.: Sensitivity Analysis in Chemical Kinetics: Recent Developments and Computational Comparisons, 559
Krishnamurthy, M. See Adeyemo, A. O., 1075
Kruger, C. H. See Salimian, S., 725
Kuzmin, V. A. See Khudyakov, I. V., 1481; Koroli, L. L., 379

Lamb, J. J. See Smith, C. A., 41
Lane, S. I.
—; Oexler, E. V.; Staricco, E. H.: Conversion Effect on the Reaction CF_3 + HCN. Analysis of I_2 and I Participation with CF_3I as Radical Source, 1357
Ledakowicz, S.
—; Nowicki, L.; Perkowski, J.: Kinetics of Tetrachloroethylene Photochlorination, 345
Lenkevich, M. J. See Stanbro, W. D., 251
Leone, J. A.
—; Seinfeld, J. H.: Updated Chemical Mechanism for Atmospheric Photooxidation of Toluene, 159
Lesclaux, R. See Veyret, B., 1595
—; Caralp, F.: Determination of the Rate Constants for the Reactions of $CFCl_2O_2$ Radical with NO and NO_2 by Laser Photolysis and Time Resolved Mass Spectrometry, 1117

Leu, M.-T.
Kinetics of the Reaction Cl + NO_2 + M, 1311
Levitsky, A. A.
—; Polyak, S. S.; Shtern, V. Ya.: Mechanism of Propane Oxidation—Mathematical Modeling, 1275
Lin, M. C. See Hsu, D. S. Y., 1139
Lissi, E. A. See Abuin, E. B., 503
Litzinger, T. A. See Brezinsky, K., 1053
Louge, M. Y.
—; Hanson, R. K.: Shock Tube Study of Cyanogen Oxidation Kinetics, 231
Lubinkowski, J. See Arcila, C., 57
Lundgard, R.
—; Heicklen, J.: Pyrolysis of Vinylacetylene between 300 and 450° C, 125

Mackie, J. C.
—; Doolan, K. R.: High-Temperature Kinetics of Thermal Decomposition of Acetic Acid and its Products, 525
Maesschalck, L. See Huybrechts, G., 93
Marchant, P. E. See Pritchard, G. O., 69
Marshall, R. M. See Islam, T. S. A., 1161
Martin, H. D.
—; Urbanek, T.; Braun, R.; Walsh, R.: The Kinetics of Pyrolysis of Barrelene[1]: A Concerted Process on the C_8H_8 Energy Surface, 117
Martin, M. See Becerra, R., 483
Matsuda, M. See Ito, O., 909
McKinnon, G. H.
—; Backhouse, C. J.; Kalantar, A. H.: Optimizing the Use of the Kezdy–Mangelsdorf–Swinbourne Method for Analysis of Data Following $A\exp(-kt) + Z$, 1427
Molina, L. T. See Molina, M. J., 1151; Smith, C. A., 41
Molina, M. J. See Smith, C. A., 41
—; Molina, L. T.; Smith, C. A.: The Rate of the Reaction of OH with HCl, 1151
Mowat, S. I. See Batt, L., 615
Munger, K.
—; Fischer, H.: Rate Constants for Concurring Radical Reactions in Solution Obtained by Kinetic Electron Spin Resonance, 1213
Murphy, F. X. See Capellos, C., 1009, 1027

Narayan, H. See Behari, K., 195
Niedzielski, J.
—; Tschuikow-Roux, E.; Yano, T.: Hydrogen/Deuterium Abstraction by Chlorine Atoms from Gaseous Ethyl Chlorides. I. Secondary Kinetic Isotope Effects in the System CH_3CH_2Cl, CH_3CHDCl, CH_3CD_2Cl, 621
Nilsson, W. B. See Pritchard, G. O., 69, 1633
Nowicki, L. See Ledakowicz, S., 345

Oexler, E. V. See Lane, S. I., 1357
Ohta, T.
Rate Constants for the Reactions of OH Radicals with Alkyl Substituted Olefns, 879
Reactivity of Allylic Hydrogen in Cyclohexadiene towards OH Radicals, 1495
Oldershaw, G. A.
—; Smith, A.: Reaction of Hot H Atoms with CD_3Br, 213
O'Neal, H. E. See Rickborn, S. F., 289, 1371; Sawrey, B. A., 7, 23, 31

Parmer, J. F. See Pritchard, G. O., 69
Patel, D. See Pritt, A. T., Jr., 977
Patrick, R.
—; Golden, D. M.: Termolecular Reactions of Alkali Metal Atoms with O_2 and OH, 1563
Perkowski, J. See Ledakowicz, S., 345
Peter, A.
—; Acs, G.; Huhn, P.: Thermal Decomposition of Azoisopropane. I. Primary Decomposition Processes, 767
—; Acs, G.; Huhn, P.: Thermal Decomposition of Azoisopropane. II. Secondary Decomposition Processes, 781
—; Huhn, P.; Acs, G.: Thermal Decomposition of Azoethane, 753
Pino, M. See Arcila, C., 57
Pitts, J. N., Jr. See Atkinson, R., 469, 697, 887, 1085
—; Sanhueza, E.; Atkinson, R.; Carter, W. P. L.; Winer, A. M.; Harris, G. W.; Plum, C. N.: An Investigation of the Dark Formation of Nitrous Acid in Environmental Chambers, 919
Plach, H. J.
—; Troe, J.: UV Absorption Study of the Dissociation of SO_2 and SO in Shock Waves, 1527
Plum, C. N. See Atkinson, R., 887; Pitts, J. N., Jr., 919
Plumb, I. C. See Ryan, K. R., 591
Polyak, S. S. See Levitsky, A. A., 1275
Poppelsdorf, H. See Huybrechts, G., 93
Pritchard, G. O.
—; Nilsson, W. B.; Kirtman, B.: Orbital Energy and Entropy Correlations for Disproportionation Versus Combination in the Reactions of $CFyH_{(3-y)}$ Radicals (y = 0,1,2,3) with C_2H_5 Radicals. The Heat of Formation of CHF, 1633
—; Nilsson, W. B.; Marchant, P. E.; Case, L. C.; Parmer, J. F.; Youngs, R. F.: Disproportionation Reactions between Alkyl and Fluoroalkyl Radicals. II. Fluoro- and Trifluromethyl with Ethyl Radicals, 69
Pritt, A. T., Jr.
—; Patel, D.; Coombe, R. D.: Yields of Singlet Nitrenes from Halogen Atom—Azide Molecule Reactions, 977

Rabitz, H. See Kramer, M. A., 559
Raja, N.
—; Chatha, J. P. S.; Arora, P. K.; Vohra, K. G.: Rate Constants for Quenching of $O_2(^1\Delta_g)$ with Sulfur Compounds, 205
Razumovskii, S. D. See Gomes, M., 1
Ribaudo, C. See Capellos, C., 1009, 1027
Rice, J. A.
—; Treacy, J. J.; Sidebottom, H. W.: Reactions of Trichloromethyl Radicals with Organosilicon Compounds, 1503
Rickborn, S. F.
—; Ring, M. A.; O'Neal, H. E.: The Kinetics and Mechanism of the Shock Induced Gas Phase Decomposition of Ethylsilane, 1371
—; Ring, M. A.; O'Neal, H. E.; Coffey, D., Jr.: Mechanism and Kinetics of the Shock-Tube Decomposition of Vinylsilane, 289
Ring, M. A. See Rickborn, S. F., 289, 1371; Sawrey, B. A., 7, 23, 31
Risley, J. M.
—; Van Etten, R. L.: Origin of the Oxygen in the Oxidation of Triphenylphosphine by Potassium Persulfate—Application of the ^{18}O Isotope Effect in ^{31}P NMR, 1167

Rodriguez, J. C. See Becerra, R., 483
Rodriguez, L. J. See Velazquez, M. M., 269
Rosenblatt, D. H. See Capellos, C., 1009, 1027
Rotinov, A.
—; Chuchani, G.: Linear Correlation of Polar Substituents in the Gas-Phase Pyrolyses of Ethyl α-Substituted Acetates, 1267
Rotzoll, G.
High Temperature Molecular Beam Source Reactor, 1401
Roussel, P. See Veyret, B., 1595
Rubchinskaya, Yu. M. See Finkelshtein, E. I., 513
Ryan, K. R.
—; Plumb, I. C.: Kinetics of the Reactions of CCl_3 with O and O_2 and of CCl_3O_2 with NO at 295 K, 591

Safarik, I. See Ekwenchi, M. M., 741; Van Roodselaar, A., 899
Salimian, S.
—; Hanson, R. K.; Kruger, C. H.: High Temperature Study of the Reactions of O and OH with NH_3, 725
Salve, J. See Khudyakov, I. V., 1481
Sanhueza, E. See Pitts, J. N., Jr., 919
Sartori, G. See Kim, C. J., 1257
Sawrey, B. A.
—; O'Neal, H. E.; Ring, M. A.: The Gas-Phase Decomposition of Methylsilane. Part II. Mechanisms of Decomposition under Static System Conditions, 23
—; O'Neal, H. E.; Ring, M. A.; Coffey, D., Jr.: The Gas-Phase Decomposition of Methylsilane. Part I. Mechanism of Decomposition under Shock-Tube Conditions, 7
—; O'Neal, H. E.; Ring, M. A.; Coffey, D., Jr.: The Gas-Phase Decomposition of Methylsilane. Part III. Kinetics, 31
Sbriziolo, C. See Calvaruso, G., 1201; Cavasino, F. P., 221
Scaiano, J. C. See Kim-Thuan, N., 371
Schumacher, H. J. See Dos Santos Afonso, M., 103
Seinfeld, J. H. See Leone, J. A., 159
Semmes, D. H. See Wine, P. H., 1619
Sheth, S. See Toby, S., 149
Shtern, V. Ya. See Levitsky, A. A., 1275
Shukla, R. S. See Behari, K., 195
Sidebottom, H.
—; Treacy, J.: Reaction of Methyl Radicals with Haloalkanes, 579
Sidebottom, H. W. See Rice, J. A., 1503
Simonaitis, R. See Bahta, A., 1227
Smit, W. See Khudyakov, I. V., 1481
Smith, A. See Oldershaw, G. A., 213
Smith, C. A. See Molina, M. J., 1151
—; Molina, L. T.; Lamb, J. J.; Molina, M. J.: Kinetics of the Reaction of OH with Pernitric and Nitric Acids, 41
Smith, I. W. M.
The Role of Electronically Excited States in Recombination Reactions, 423
Sopchyshyn, F. C. See Elliot, A. J., 1247
Stanbro, W. D.
—; Lenkevich, M. J.: Kinetics and Mechanism of the Reaction of Aqueous Sulfite with *N*-Chloroalanylalanylalanine, 251
Staricco, E. H. See de Vohringer, C. M., 1351; Lane, S. I., 1357
Stern, D. See Dean, A. M., 633
Strausz, O. P. See Ekwenchi, M. M., 741; Van Roodselaar, A., 899
Szekely, A.
—; Hanson, R. K.; Bowman, C. T.: High Temperature Determination of the Rate Coefficient for the Reaction $H_2O + CN \rightarrow HCN + OH$, 1605

Tang, X.-Y. See Hashimoto, S., 1385
Thompson, R. J. See Wine, P. H., 867, 1619
Toby, F. S. See Toby, S., 149
Toby, S.
—; Sheth, S.; Toby, F. S.: Reaction of Carbon Monoxide with Ozone and Oxygen Atoms, 149
Treacy, J. See Sidebottom, H., 579
Treacy, J. J. See Rice, J. A., 1503
Troe, J. See Croce de Cobos, A. E., 1517; Plach, H. J., 1527
Tsang, W.
Single Pulse Shock Tube Study on the Thermal Stability of Ketones, 1543
Tschuikow-Roux, E. See Niedzielski, J., 621

Urbanek, T. See Martin, H. D., 117

Van Etten, R. L. See Risley, J. M., 1167
Van Mele, B. See Huybrechts, G., 93
Van Roodselaar, A.
—; Safarik, I.; Strausz, O. P.: The Reactions of $S(^3PJ)$ Atoms with Thiiranes, 899
Velazquez, M. M.
—; Garcia-Mateos, I.; Herraez, M. A.; Rodriguez, L. J.: Pseudo-Phase Ion-Exchange Model for Micellar Catalysis in the Acid Hydrolysis of Vinyl Ethers, 269
Venson, S. W. See Weissman, M., 307
Veyret, B.
—; Roussel, P.; Lesclaux, R.: Mechanism of the Chain Process Forming H_2 in the Photooxidation of Formaldehyde, 1595
Vohra, K. G. See Raja, N., 205

Walsh, R. See Canosa-Mas, C. E., 1103; Martin, H. D., 117
Weissman, M.
—; Benson, S. W.: HCl Elimination from C_2HCl_5: Evidence for an Abnormally High Activation Energy Caused by Beta-Chlorine Substituents (Communication), 941
—; Venson, S. W.: Pyrolysis of Methyl Chloride, a Pathway in the Chlorine-Catalyzed Polymerization of Methane, 307
Weng, J.-H. See Hashimoto, S., 1385
Whittle, E. See Ahonkhai, S. I., 543
Wine, P. H.
—; Thompson, R. J.: Kinetics of OH Reactions with Furan, Thiophene, and Tetrahydrothiophene, 867
—; Thompson, R. J.; Semmes, D. H.: Kinetics of OH Reactions With Aliphatic Thiols, 1619
Winer, A. M. See Atkinson, R., 469, 697, 887, 1085; Pitts, J. N., Jr., 919
Wright, J. P. See Kerr, J. A., 1321, 1327
Wu, L.-M.
—; Fischer, H.: Self- and Cross-Termination Rate Constants for the Isopropylol Radical and Its Anion in Aqueous Solution, 1111

Yano, T. See Niedzielski, J., 621
Yasmenko, A. I. See Khudyakov, I. V., 1481
Yoo, H. S. See Jung, K.-H., 397
Young, A. T. See Gu, Z-N., 669
Youngs, R. F. See Pritchard, G. O., 69

Zaikov, G. E. See Gomes, M., 1
Ethyl α-Substituted Acetates, 1267

Subject Index to Volume 16

Communications to the Editor are indicated by the letter C following the page number.

Absolute rate constants, 41
—, of self-termination reaction of isopropylol radical, 1111
Abstraction, of halogen atoms from haloalkanes by methyl radicals, 579
—, of H atoms from 2-propanol by *t*-butyl radicals, absolute rate constants for, 1213
—, of hydrogen atoms from organosilicon compounds by trichloromethyl radicals, 1503
Abstraction of Cl atoms from CCl_4 by CF_3, C_2F_5, and n-C_3F_7, 1351
Abstraction of H atoms from H_2S by CF_3 radicals, 335
Acid hydrolysis, 269
Addition of, alkyl radicals to carbonyl groups, 1327
—, methyl radicals to hexafluoroacetone, 615
—, methyl radicals to trifluoroacetone, 1327
Addition of PhS to vinylpyridines, 909
Additions of methylsilane to olefins, 23
Alcohol oxidation, 195
Alkyl radicals, addition to carbonyl groups, 1327
Allylic hydrogen, reactivity of, 1495
α-Aminoalkyl radicals, electron transfer reactions, 371
Aqueous solutions, 269
Aromatic free radicals, solvent effect on reversible self-termination reactions of, 1481
Arrhenius parameters, 741
—, $O + CO \rightarrow CO_2$, 149
Atmospheric chemistry, 1151
Autocatalysis in oxidation of hydroxylamine, 1287
Autoxidation, of methyl retinoate, 513
—, of retinyl acetate, 513
Azide reaction, 977

Benzene, 1495
Benzophenone radical anions, reactions of, 379
Bias in extracted rate parameters, 1427
Branched chain process, 817
Bromomethane (CD_3Br), reaction with hot H atoms, 213
tert-Butoxyl, reactions with amines, 371
t-Butyl—H, bond strength, 995
t-Butyl radical, entropy, 995
—, heat of formation, 995
—, reaction with HBr and Br, 995
tert-Butyl radicals, cage reactions with pivaloyl radicals, 503

Calcination of $ZnCO_3$, variation of kinetic parameters with P heating rate, 1471
Carbon monoxide, reaction with hydroxy radical, 1187
Carbon tetrachloride, chlorine abstraction by CF_3, C_2F_5, n-C_3F_7 radicals, from, 1351
Carbonyl groups, addition of alkyl radicals to, 1327
Catalysis, metalloporphyrin formation, 1075
CD_3Br, reaction with hot H atoms, 213
CF_3 radical, reaction with CCl_4, 1351
C_2F_5 radical, reaction with CCl_4, 1351
n-C_3F_7 radical, reaction with CCl_4, 1351
Chain process, 1595
Charge-transfer mechanism, 707
Chelation, of iron(III) with citric, diglycolic and tartaric acids, kinetics and mechanism of, 221
Chemical activation of chlorocyclopropane, 835
Chemiluminescence yields, 977
Chloride, polymerization of methane, pyrolysis of methylchloride in, 307
Chlorination of perfluoroalkyl iodides, 543
Chlorine bridging, 277
Chlorine nitrate, kinetics of formation in ClO + NO_2 reaction, 445
N-Chloroalanylalanylalanine, reaction with sulfite, 251
$ClNO_3$ isomers, formation in ClO + NO_2 reaction, 445
ClO radical, kinetic of reaction with NO_2, 445
CN broad band absorption diagnostic, 231
CN kinetics, 353
C_2N_2 oxidation kinetics, 231
C_2N_2 pyrolysis, 353
Collisional energy transfer, 1455
Combination, in $CFyH_{(3-y)}$ radical reactions, 1633
Competitive chlorination of perfluoroalkyl iodides, 543
Complex formation, between iron(III) and citric, diglycolic and tartaric acids, kinetics and mechanism of, 221
Computational algorithms, 559
Concerted thermal decomposition, of phenyl acetate, 1571
Correlated errors, effects of, 1427
Cross-termination rate constants for *t*-butyl with 2-propylol radicals, 1213
Cyclohexadiene, reactivity of allylic hydrogen in, 1495

Data analysis, simulations, 1427
$D(CF_3—I)$, determination of, 543
$D(C_2F_5—I)$, determination of, 543
$D(i\text{-}C_3F_7—I)$, determination of, 543
Decomposition of $CuSO_4 \cdot 5H_2O$, mechanisms and kinetic parameters for all steps, 655
Degradation mechanism, 1257
Dehydrohalogenation, molecular, from C_2HCl_5, abnormally high activation energy of, 941(C)

Diffusion-controlled reactions, 407
Displacement, 741
Disproportionation, 69
—, in $CFyH_{(3-y)}$ radical reactions, 1633
—, of ketyl radicals of benzophenone with nitroxyl radicals, 379
Dissociation energy of C—H bond in ethyl ether kinetics and equilibria in the system Br + ethyl ether, 949
Distribution functions, 483

Ebulliometric method for kinetic studies, 793
Electronically excited states in recombination reactions, the role of, 423
Electronic effect, of substituents in gas-phase pyrolyses of ethyl α-substituted acetates, 1267
Electron transfer, 277
Elimination, of ethyl glycolate, ethyl cyanoacetate, ethyl dichloroacetate, and ethyl trichloroacetate in gas phase, 1267
—, of 3-hexyl acetate, 5-methyl-3-hexyl acetate, 5,5-dimethyl-3-hexyl acetate in gas phase, 57
Endo selectivity, of thermal addition of alkyl-monosubstituted ethenes to cyclohexa-1,3-diene, 93
Energy transfer, 1455
Entropy, 1633
Environmental chambers, the dark formation of nitrous acid from NO_2 in, 919
Error analysis, simulations, 1427
Ethylbromide, 397
Ethyl radical, heat of formation of the, 961
Excess electrolyte, 269

Flash photolysis, 909
Flash photolysis resonance fluorescence, 41
Flow reactor study of high-temperature gas phase toluene oxidation reactions, 1053
Formaldehyde, photooxidation of, 1595
Fuel nitrogen kinetics, 231, 353
Furan, rate of reaction with OH, 867

Gas phase, of OH radicals with a series of branched alkanes at 297 ± 2 K, 469
Gas/surface energy transfer, 1129

H_2, formation of, 1595
Hard collisions, 483
H atom abstraction reactions, 1553
H atom reactions, 741
H atoms, hot, reaction with CD_3Br, 213
H/D abstraction by Cl atoms, 621
Heat of formation of CHF, 1633
Hexachloroethane, 345
Hexafluoroacetone, addition of methyl radicals to, 615
High-temperature gas phase toluene oxidation, 1053
High-temperature reactions, 725
Hydrocarbon oxidation and combustion, 1553
Hydrogen oxidation, 817
Hydrolysis reactions, 1009, 1027
Hydroxyl radical, reaction with carbon monoxide, 1187
Hydroxyl radical reaction with ammonia, 725

ICR spectrometer, 707
Identification of kinetic parameters, 345
Impurity effects, O_3 reactions, 149
Incident wave, 725
Infrared CO laser CO(v=1) diagnostic, 231
Ion–molecule reactions, 707
Isotope effects, 1455
Isotopically labeled ions, 707

Ketones, thermal stability of, 1543
Kinetic modeling, 1139
Kinetics, 277, 289, 1247, 1371, 1401
—, gas phase, of reaction of OH radicals with series of alkenes, 1175
—, or iron(III) chelation with citric, diglycolic and tartaric acids, mechanism and, 221
—, of the cerium(IV) oxidation of lactic and atrolactic acids, 1201
—, of the gas phase decomposition of methylsilane, 31
—, of the primary dissociation reaction of methylsilane and methylsilane (d_3), 31
Kinetics and equilibria of the reaction between bromine and ethyl ether, 949
Kinetics and mechanism of aqueous cleavage of 5,5-diethyl-2,4,6-(1H,3H) pyrimidinetrione in a highly alkaline medium, 1301
Kinetic scheme, for autoxidation of methyl retinoate, 513
Kinetics control, in gas phase pyrolyses of 3-hexyl acetate, 5-methyl-3-hexyl acetate, 5,5-dimethyl-3-hexyl acetate, 57
Kinetics energy dependence of ion–molecule rxns, 707
Kinetics gas treating, 1257
Kinetics of Br + CH_3CHO, 1161
Kinetics of rich ammonia flames, 633
Kinetic studies, 269

Laser absorption, 1139
Laser photolysis, 1117
Least-squares analysis for straight lines, 1427

Mechanism, 277, 741, 1357, 1371, 1385
—, of iron(III) chelation with citric, diglycolic and tartaric acids, kinetics and, 221
Mechanism of propane oxidation, mathematical modeling, 1275
Mechanism of the thermal reaction between C_3F_6 and CF_3OF, 103
Methyl radicals, addition to hexafluoroacetone, 615
—, addition to trifluoroacetone, 1327
Methylsilane, ethylene and acetylene formation in the pyrolysis of, 7
—, gas phase decomposition of, 7
—, mechanism of gas phase decomposition under shock tube conditions of, 7
—, modeling calculations for the thermal decomposition of, 7
—, primary dissociation reactions of, 7
Methylsilylene, carbosilane ring formation from dimer of, 7
—, dimer of, 7
—, disproportionation reaction of, 7
—, elimination of H_2 from dimer of, 7
—, reaction of with ethylene, 7
Methyl viologen, reduction by α-aminoalkyl radicals, 371
Micellar catalysis, 269
Modeling, 289, 559, 1371
Molecular beam sampling, 1401

N_2 formation from NH_i reactions, 633
NH heat of formation, 633
NH_2 oscillator strength, 633
Non-Arrhenius rate constants, 725

$O_2(^1\Delta_g)$, quenching rate constants with sulfur compounds, 205
O-atom reactions with ammonia, 725
OH, kinetics of reactions of, 1553
OH radicals, 1495
OH reaction kinetics, 867
OH reactions, with aliphatic thiols, 1619
—, kinetics of, 1619
^{18}O isotope effect, 1167
Orbital energy, 1633
Oxidation, 1167, 1385
—, alkaline medium, 195
—, of lactic and atrolactic acids by ceric sulfate, kinetics of, 1201
Oxidation of hydroxylamine by bromate ion, 1287
Oxidation reactions, O_3 and O atoms, 149
Oxidative dealkylation, 277
Ozonolysis, 1

Photochemistry, 397
Photochlorination, 345, 621
Photodecomposition, 397
Photolysis at 147 nm, 397
Photolysis of 3,4-dimethylcyclopentanone, 1337
Photooxidation, of formaldehyde, 1581
PhS + vinylpyridines, 909
Pivaloyl radicals, cage reactions with *tert*-butyl radicals, 503
^{31}P NMR, 1167
Polar effects, in halogen atom abstraction processes, 579
—, in hydrogen atom abstraction processes, 1503
Primary dissociation processes, 289, 1371
Products, 1385
Propane, reactions with OH, 1553
Propargyl radical, formation of, in reaction of $CH_2(^1A_1)$ with C_2H_2, 1103
Pulse radiolysis, 1247
Pyrolysis, 525, 679
—, of ethyl glycolate, ethyl cyanoacetate, ethyl dichloroacetate, and ethyl trichloroacetate in gas phase, 1267
—, of 3-hexyl acetate, 5-methyl-3-hexyl acetate, 5,5-dimethyl-3-hexyl acetate in gas phase, 57
—, of phenyl acetate, 1571
Pyrolysis of methane in excess of chloromethane, mechanisms of, 307

Radical and atom concentrations, from a kinetic model, 1053
Radical–radical reactions, importance in gas phase toluene oxidation, 1053
Rate, of cerium(IV) oxidation of lactic and atrolactic acids, 1201
Rate coefficients for reactions of CCl_3 of interest in plasma etching and atmospheric chemistry, 591
Rate constant, for abstraction on allylic hydrogen from retinyl acetate, 513
—, for reaction of retinyl acetate with oxygen, 513
Rate constant for Br + CH_3CHO, 1161
Rate constants, 1151, 1495
—, for gas phase reaction of NO_3 radical with series of aromatics at 296 ± 2 K, 887
—, for gas phase reactions of ozone and hydroxyl radical with series of alkynes, 259
—, for reactions of $S(^3PJ)$ atoms with thiiranes, 899
—, of reactions of $CFCl_2O_2$ radical with NO and NO_2, 1117
—, for the gas phase reaction of NO_2 with a series of alkenes and dialkenes, 697
—, for the reactions of O_3 and OH radicals with a series of dialkenes and trialkenes, 967
Rate constants of OH with olefins, 879
Rates of methylsilane decomposition at 700 K, in the presence of ethylene, 23
—, in the presence of ethylene, acetylene mixtures, 23
—, in the presence of propylene, 23
Reacting gas flow, 1401
Reaction, 1357
—, of alkyl peroxy radicals with NO, 1085
—, gas phase, of OH radicals with series of alkenes and dialkenes at 295 ± 1 K, 1175
—, heterogeneous of NO_2 to form nitrous acid in environmental chambers, 919
Reaction kinetics, 1619
Reaction mechanism for oxidation of hydroxylamine by bromate ion, 1287
Reaction of sulfite with *N*-chloroalanylalanylalanine, 251
Reaction rate coefficients, 1605
Reaction rates, 679, 1227, 1481
Reactions, of $S(^3PJ)$ atoms with thiiranes, 899
—, gas phase, of NO_3 radical with series of aromatics at 296 ± 2 K, 887
—, gas phase, of NO_2 with a series of alkenes and dialkenes, 697
—, gas phase, of ozone and hydroxyl radical with series of alkynes, 259
—, of O_3 and OH radicals with a series of dialkenes and trialkenes, 967
Recombination, of ketyl radicals of benzophenone, 379
Recombination of ozone, fall-off curves of, 1517
Recombination reactions, the role of electronically excited states in, 423
Redox reactions, between ceric sulfate and lactic and atrolactic acids, kinetics of, 1201
Relative rate constants for the decomposition of the trifluoro-*t*-butoxy radical, 1321
Relaxation, of $I(5^2P_{1/2})$ by CF_3I, CH_3I, C_2H_5I, and CH_4, 669
Relaxation kinetic study, of iron(III) chelation with citric, diglycolic and tartaric acids, 221
Retro-Diels–Alder reaction, of barrelene (bicyclo[2,2,2]octa-2,5,7-triene), 117
Reversible energy transfer, 407
Reversible self-termination reaction, 1481
RRKM modeling, 1139
RRKM theory, 483

Secondary kinetic isotope effects, 621
Self-termination rate constants for *t*-butyl and 2-propylol radicals, 1213
Sensitivity analysis, 559
Shock tube, 289, 725, 1139, 1371
Shock tubes, 1553
Shock tube study, 231, 353
Shock tube technique, 1605
Shock wave study of SO_2, 1527
Simulation, 559
Single pulse shock tube, comparative rate techniques, kinetics of the methylsilane decomposition, 31

Single pulse shock tube study, 1543
SO decomposition, 1527
Solvent effects, 1
Solvent polarity, 1
Spectra, 1247
Steric acceleration, in gas phase pyrolyses of highly branched secondary esters, 57
Steric interaction, in gas phase pyrolyses of secondary acetates, 57
Sulfite, reaction with *N*-chloroalanylalanylalanine, 251

Taft correlation, in gas-phase pyrolyses of ethyl α-substituted acetates, 1267
Temperature dependence of termolecular rate constant for $Cl + NO_2 + M$, 1311
Termolecular reaction of $Cl + NO_2 + M$, 1311
Termolecular reactions, of alkali metal atoms with O_2 and OH, 1563
Tetrachloroethylene, 345
Tetrahydrothiophene, rate of reaction with OH, 867
2,2,4,4-Tetramethyl-3-pentanone, photolysis in homogeneous and compartmentalized media, 503
Thermal decomposition, 289, 525, 1371
—, of azoethane, 753
—, of azoisopropane, 767
—, of azoisopropane, in the presence of propylene, 781
Thermal dissociation of SO_2 and SO, 1527
Thermal initiation, of autoxidation of retinyl acetate, 513
Thermochemistry of, hexafluoro-*t*-butoxy radical, 1321
—, trifluoro-*t*-butoxy radical, 1321
Thiophene, rate of reaction with OH, 867
Time-resolved mass spectrometry, 1117
Toluene, atmospheric chemistry, 159
—, photooxidation, 159
Toluene oxidation, mechanism of side chain removal, 1053
Transition state theory calculations, 1553

Unimolecular decomposition, 1139
Unimolecular reaction kinetics, 1129
Unimolecular reactions, 483
UV absorption of SO_2 and SO, 1527

Vacuum UV, 397
Very-low-pressure pyrolysis, 1129, 1455
Vinylacetylene, pyrolysis of, 125
Vinyl ethers, 269

Index of Compounds to Volume 16

Acetic acid, 525
Acetone, photolysis in the presence of haloalkanes, 579
Acetylene, rate constant for the gas phase reaction with the hydroxyl radical, 259
Acetylene, rate constant for the gas phase reaction with the ozone radical, 259
Acrylonitrile, 1385
Alkoxy radicals, generation from F_2 + alcohol, 1321
Alkyl nitrates, formation from the reaction of alkyl peroxy radicals with NO, 1085
Alkyl peroxy radical, formation of alkyl nitrates from reaction with NO, 1085
Allylcyanide, 1385
Ammonia, 725
Ammonia flames, 633
Atrolactic acid, kinetics of cerium(IV) oxidation of, 1201
Azoethane, thermal decomposition of, 753
Azoisopropane, thermal decomposition of, 767
—, thermal decomposition of, in the presence of propylene, 781

Barrelene, pyrolysis, 117
Benzaldehyde, mechanism of formation during gas phase oxidation of toluene, 1053
—, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
Benzene, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
Benzyl alcohol, mechanism of formation during gas phase oxidation of toluene, 1053
Benzyl radical, reactions with O, OH, and HO_2, 1053
Bicyclo[2,2,2]octa-2,5,7-triene, pyrolysis, 117
BiF, Production of electronically excited, 849
Bromate ion oxidation of hydroxylamine, 1287
Bromine atom, reaction with CH_3CHO, 1161
—, reaction with CH_3CO radicals, 1161
Bromine reaction with ethyl ether, 949
1,3-Butadiene, rate constant for the gas phase reaction with NO_2, 697
1,3-Butadiene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
n-Butane, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
1-Butene, rate constant for gas-phase reaction with OH radicals at 295 ± 1K, 1175
cis-2-Butene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
trans-2-Butene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
t-Butyl radical, absolute rate constants for abstraction from 2-propanol, self-termination and cross-termination with 2-propylol radicals, 1213
1-Butyne, rate constant for the gas phase reaction with the hydroxyl radical, 259
—, rate constant for the gas phase reaction with the ozone radical, 259

Calcium formate, 1009
Calcium hydroxide, 1009, 1027
Calcium oxalate, 1009
Carbon monoxide, 149
Δ^3-Carene, rate constant for the gas phase reaction with NO_2, 697
CCl_3, reactions with O_2 and $O(^3P)$, 591
CCl_3O_2, reaction with NO, 591
Cerium(IV) sulfate, kinetics of redox reactions of lactic and atrolactic acids with, 1201
CF_3I, chlorination of, 543
C_2F_5I, chlorination of, 543
i-C_3F_7I, chlorination of, 543
CF_3I, relaxation of I(5 $^2P_{1/2}$) by, 669
CF_3 radical attack on H_2S, 335
CF_3SSCF_3, 741
CH_3CHO, reaction with Br atoms, 1161
CH_3CO, reaction with Br atoms, 1161
C_3H_4, hot decomposition to give C_3H_3 and H, 1103
CH_3I, relaxation of I(5 $^2P_{1/2}$) by, 669
C_2H_5I, relaxation of I(5 $^2P_{1/2}$) by, 669
Chlorination of perfluoroalkyl iodides, 543
Chlorine atoms, termolecular reaction with NO_2, 1311
Chlorine nitrite, formation from Cl + NO_2 + M, 1311
Chlorocyclopropane, chemically activated, 835
Chloroethane, competitive photochlorination, 621
Chloroethane-1-d_1, competitive photochlorination, 621
Chloroethane-1,1-d_2, competitive photochlorination, 621
Chloroethene, reaction with CH_2, 835
CH_4, relaxation of I(5 $^2P_{1/2}$) by, 669
C_2H_4S, 741

Citric acid, kinetics of iron(III) chelation with, 221
Copper sulfate pentahydrate, mechanisms and kinetic parameter for dissociation steps, 655
m-Cresol, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
p-Cresol, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
o-Cresol, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
Crotonaldehyde, rate constant for the gas phase reaction with NO_2, 697
Cyclobutane, 1129
1,3-Cycloheptadiene, rate constant for the gas phase reaction with NO_2, 697
—, rate constants for the reaction with O_3 and OH radicals at 294 ± 2 K, 967
Cycloheptanol, 195
1,3,5-Cycloheptatriene, rate constants for reaction with O_3 and OH radicals at 294 ± 2 K, 967
1,3-Cyclohexadiene, rate constant for the gas phase reaction with NO_2, 697
1,4-Cyclohexadiene, rate constant for the gas phase reaction with NO_2, 697
1,3-Cyclohexadiene, reactions with alkyl-monosubstituted ethenes, 93
Cyclohexanol, 195
Cyclohexene, rate constant for the gas phase reaction with NO_2, 697
Cyclopentanol, 195

Diethanolamine, 1257
Diglycolic acid, kinetics of iron(III) chelation with, 221
2,2-Dimethylbutane, rate constant for gas phase reaction with OH radicals at 297 ± 2 K, 469
2,3-Dimethyl-2-butene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
—, rate constant for the gas phase reaction with NO_2, 697
3,4-Dimethylcyclopentanone, photolysis of, 1337
5,5-Dimethyl-3-hexyl acetate, gas phase pyrolysis of, 69
1,1-Dimethylhydrazine, 1129
2,4-Dimethylpentane, rate constant for gas phase reaction with OH radicals at 297 ± 2 K, 469
Trans-2,3-dimethylthiirane, rate constant for reaction with $S(^3P_J)$ atom at 298 K, 899
Diolefins, 1227
Di-tertiary butyl peroxide, pyrolysis in the presence of haloalkanes, 579

Esters, 1027
Ethane, 679
Ethene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
Ethylbenzene, 1129
Ethyl cyanoacetate, gas-phase pyrolysis of, 1267
Ethyl dichloroacetate, gas-phase pyrolysis of, 1267
Ethylene, 1227
Ethyl ether reaction with Br, 949
Ethyl glycolate, gas-phase pyrolysis of, 1267
Ethyl radicals, 57
Ethylsilapropane, 1371
Ethylsilylcyclopropane, 1371
Ethyl trichloroacetate, gas-phase pyrolysis of, 1267
Ethyl vinyl ether, 1129

Fluorine, reaction with 2-fluoromethyl propan-2-ol to generate trifluoro-*t*-butoxy radicals, 1321
Fluoromethyl, 57
Furan, 867

1,3-Glyceryl dinitrate ester, 1009, 1027
Glyceryl nitrate esters, 1009, 1027
Glycidyl nitrate, 1027

H, 741
Haloalkanes, reaction with methyl radicals, 579
Halogen nitrenes, 977
HCl, 1151
1-Heptene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
Hexacyanoferrate(III), 195
cis-2,*trans*-4-Hexadiene, rate constant for reaction with O_3 at 294 ± 2 K, 967
trans-2-*trans*-4-Hexadiene, rate constant for reaction with O_3 at 294 ± 2 K, 967
Hexafluoropropene kinetics of the reaction with CF_3OF, 103
Hexafluoro-*t*-butoxy radical, thermochemistry of, 1321
n-Hexane, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
cis-1,3,5-Hexatriene, rate constants for reaction with O_3 and OH radicals at 294 ± 2 K, 967
trans-1,3,5-Hexatriene, rate constants for reaction with O_3 and OH radicals at 294 ± 2 K, 967
1-Hexene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
3-Hexyl acetate, gas phase pyrolysis of, 69
H_2S, Arrhenius parameters for, 335
Hydrogen cyanide, 1357
Hydroxylamine, oxidation by bromate ion, 1287
Hydroxyl radical, 725
—, pernitric acid, and nitric acid, 41
—, rate constants for the reactions with a series of alkynes, 259
—, rate constants for reaction with a series of dialkenes and trialkenes at 294 ± 2 K, 967

Iodine, 1357
Iodine atoms, (5 $^2P_{1/2}$), relaxation of by CF_3I, CH_3I, C_2H_5I, and CH_4, 669
Iron(III), chelation with citric, diglycolic and tartaric acids, kinetics and mechanism of, 221
I_2^-, $(SCN)_2^-$, 1247
Isobutane, rate constant for gas phase reaction with OH radicals at 297 ± 2 K, 469
Isobutane, reaction with Br atoms, 995
—, *t*-C—H bond strength in, 995
Isobutene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
Isopropylol radical, self-reaction of, 1111

Ketene, 525

Lactic acid, kinetics of cerium(IV) oxidation of, 1201
d-Limonene, rate constant for the gas phase reaction with NO_2, 697

Methacrylonitrile, 1385
Methoxybenzene, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
Methyl, 679
2-Methyl-1,3-butadiene, rate constant for gas phase reaction with NO_2, 697
—, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
2-Methylbutane, rate constant for gas phase reaction with OH radicals at 297 ± 2 K, 469
2-Methyl-2-butene, rate constant for gas phase reaction with NO_2, 697
—, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
3-Methyl-1-butene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
Methyl chloride (CH_3Cl), mechanism and pyrolysis in excess of methane, 307
Methylcyclohexane, rate constant for gas phase reaction with OH radicals at 297 ± 2 K, 469
Methylcyclohexanol, 195
Methylene, formation of C_3H_3 in reaction with C_2H_2, 1103
—, reaction with chloroethene, 835
5-Methyl-3-hexyl acetate, gas phase pyrolysis of, 69
Methyl nitrite, 1139
2-Methylpentane, rate constant for gas phase reaction with OH radicals at 297 ± 2 K, 469
3-Methylpentane, rate constant for gas phase reaction with OH radicals at 297 ± 2 K, 469
Methyl radicals, reaction with haloalkanes, 579
Methyl retinoate, autooxidation of, 513
—, kinetic scheme for autooxidation, 513
Methylsilane, decomposition of methylsilane in the presence of ethylene, of propylene, of ethylene and acetylene mixtures, 23
—, ethylene and acetylene formation in the pyrolysis of, 23
—, gas phase decomposition of, 23
—, mechanism of gas phase decomposition in a static reactor, 23
—, mechanism of gas phase decomposition under shock tube conditions of, 23
—, modeling calculations for the thermal decomposition of, 23
—, primary dissociation reactions of, 23
Methylsilylene, carbosilane ring formation from dimer of, 23
Methylsilylene, dimer of, 23
Methylsilylene, disproportionation reaction of, 23
Methylsilylene, elimination of H_2, from dimer of, 23
Methylsilylene, reaction of with ethylene, 23
Methyl thiirane, 1127
—, rate constant for reaction with $S(^3P_J)$ atom at 298 K, 899

Neopentane, 1129
$NF(a^1\Delta)$, excitation transfer to BiF, 849
NH, flame kinetics and heat of formation, 633
NH_2, flame kinetics and oscillator strength, 633
Nitrate esters, 1009, 1027
Nitrate radical, rate constants for gas phase reaction with series of aromatics at 296 ± 2 K, 887
Nitrogen chloride, formation from Cl + NO_2 + M, 1311
Nitrogen dioxide, dark formation of nitrous acid from, in environmental chambers, 919
—, rate constants for the gas phase reaction with alkenes and dialkenes, 697
—, termolecular reaction with Cl atoms, 1311
Nitrous acid, dark formation from NO_2 in environmental chambers, 919
Nitrous oxide cations, 707
NO, kinetics in rich NH_3 flames, 633
N_2O, 1401

O_3, 1401
OH, 1151
—, kinetics in rich NH_3 flames, 633
OH radical, rate constants for gas-phase reaction with series of alkenes and dialkenes at 295 ± 1 K, 1175
OH radical, rate constants for gas phase reaction with series of branched alkanes at 297 ± 2 K, 469
Olefin, reaction with OH, 879
Oxygen Atoms, 149, 725
Ozone, 149, 1227
Ozone (O_3), 1

Ozone, rate constants for the reactions with series of alkynes, 259
—, rate constants for reaction with series of dialkenes and trialkenes at 294 ± 2 K, 967

Pentachloroethane, molecular dehydrohalogenation, abnormally high activation energy of, 941
1-Pentene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
α-Phellandrene, rate constant for the gas phase reaction with NO_2, 697
Phenol, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
Phenylthiyl radicals, addition to vinylpyridines, 909
α-Pinene, rate constant for gas phase reaction with NO_2, 697
β-Pinene, rate constant for gas phase reaction with NO_2, 697
Potassium persulfate, 1167
Propadiene, rate constant for gas-phase reaction with OH radicals at 295 ± 1 K, 1175
Propane, kinetics of oxidation, 1275
2-Propylol radical, absolute rate constants for self-termination and cross-termination with *t*-butyl radicals, 1213
n-Propylsilane, 801
Propyne, rate constant for gas phase reaction with the hydroxyl radical, 259
—, rate constant for gas phase reaction with the ozone radical, 259
2,4,6-(1H,5H) Pyrimidinetrione-5,5-diethyl (barbital), kinetics and mechanism, hydrolysis in a highly alkaline medium, 1301

Retinyl acetate, autoxidation of, 513
—, reaction with oxygen, 513
—, thermal initial of oxidation, 513
Ruthenium(VI), 195

Silacyclobutane, 801
Silacyclopropane, 801
Sulfur atom, triplet, rate constants for reactions with thiiranes, 899

Tartaric acid, kinetics of iron(III) chelation with, 221
α-Terpinene, rate constant for gas phase reaction with NO_2, 697
γ-Terpinene, rate constant for gas phase reaction with NO_2, 697
Tetrahydrothiophene, 867
2,2,3,3-Tetramethylbutane, rate constant for gas phase reaction with OH radicals at 297 ± 2 K, 469
Thiirane, rate constant for reaction with $S(^3P_J)$ atom at 298 K, 899
Thiophene, 867
Toluene, high-temperature oxidation of the methyl side chain, 1053
—, rate constant for gas phase reaction with NO_2, 697
—, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
Trifluoroacetone, addition of methyl radicals to, 1327
Trifluoromethyl, 57
Trifluoromethylhypofluorite kinetics of the reaction with C_3F_6, 103
2-Trifluoromethyl propan-2-ol, reaction with F_2 to generate trifluoro-*t*-butoxy radical, 1321
Trifluoromethyl radical, 1357
Trifluoro-*t*-butoxy radical, generation from methyl radical addition to trifluoroacetone, 1327
—, relative rate constants for the decomposition of, 1321
1,2,3-Trimethylbenzene, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
1,2,4-Trimethylbenzene, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
1,3,5-Trimethylbenzene, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
2,2,3-Trimethylbutane, rate constant for gas phase reaction with OH radicals at 297 ± 2 K, 469
2,2,4-Trimethylpentane, rate constant for gas phase reaction with OH radicals at 297 ± 2 K, 469
Trinitroglyceria, 1009
Triphenylphosphine, 1167
Triphenylphosphine oxide, 1167

Urea, decomposition in boiling solutions, 793

Vinylacetylene, pyrolysis of; note coefficient for thermal decay, 125
Vinylpropane, 289
Vinyl propene, 289
Vinylsilane, 289

m-Xylene, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
o-Xylene, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887
p-Xylene, rate constant for gas phase reaction with NO_3 radical at 296 ± 2 K, 887

Zincporphyrin, mercury(II)-catalyzed formation of, 1075